



ACTIVATED COAGULATION TIME (ACT) TEST SYSTEM



COMPACTONE 9

CompactOne 9 Activated Coagulation Time (ACT) test system is designed for professional use in clinical settings for the purpose of hemostasis method by quantitative determination of coagulation tests.

In coagulation analysis, it provides fast, reliable and accurate results at the bedside. It is an indispensable instrument of surgeons in 'Coronary By-Pass' operations, providing the opportunity to analyze at the bedside in operating rooms and clinics, and to make the most accurate decision in critical applications.

blacT

BlacT ACT Test Tube use celite (diatomaceous earth) as activator and can be used to monitor patients undergoing procedures requiring administration of moderate to high heparin concentrations. It uses 2 cc of whole blood. You can start testing with inserting the tube to Hemonart CompactOne 9 test well.



LQC

2 level Liquid Quality Control kit for blacT ACT test tubes

- Liquid, animal-plasma based
- One year shelf life at 4°C - 8°C
- Suitable for all ACT Tests



EQC

Electronic Quality Control System for CompactOne 9

- Easy to use, fast and accurate
- Reusable
- 3 level electronic control, 100, 300 and 500 sec.



Contact Information—

You can contact us using the information below

Headquarter

Mimarsinan Mah. Kıztaşı sok. No:9/11 Sultanbeyli / İstanbul, Turkey

● info@hemonart.com ● +90 (216) 592 9922 ● hemonart.com